

1310nm optical fiber



Overview

A 1310nm optical module lets you move data efficiently through fiber optic communication networks. As part of the O-band (1260–1360 nm), it balances low dispersion, stable performance, and cost efficiency. This makes it widely adopted in data centers, enterprise backbones, and metro access. This article delves into why 850, 1310, and 1550 nm are standard, what less-known regimes and tradeoffs exist, and how an OEM fiber-cable manufacturer can design and test with wavelength considerations built in. Understanding these principles ensures your custom assemblies perform reliably across. Among the different kinds of optical fibers, the 1310nm wavelength has some unique features and uses. Single-mode fibers are fibers with a small core diameter that allow only one mode of light propagation.



Article Content

850nm, 1310nm, 1550nm Fiber Optic Laser Protective Glasses

The LG-008 laser light protection glasses are universal fit that is designed for use with fiber optics and telecom lasers operating at 850nm, 1310nm and 1550nm. The LG-008 are fully certified to US,

L-com FOTX31DMAC1SC-14 Fiber Transmitter 1310nm Directly

Overview The L-com FOTX31DMAC1SC-14 series is a 1310nm Fiber Transmitter 1310nm Directly Modulated, AC Power, 1 SC/APC connector 1.2GHz AGC with 14 dBm optical power. The

1000BASE-SX, 1000BASE-LX, 1000BASE-ZX& BX SFP:

1000BASE-LX SFP is a gigabit Ethernet standard over fiber optics for long reach. It operates on single-mode fiber (SMF) or multimode fiber (MMF) with

ITU-T G652D Single Mode Optical Fiber for Outdoor Fiber Optic

ITU-T G652D Single Mode Optical Fiber for Outdoor Fiber Optic Cable and FTTH Network No reviews yet Complies with EU standards Zhengzhou Tianhe Telecommunication Technology Co., Ltd.

Fiber Optic Patch Cables: The Complete 2026 Buyer's Guide

Confused by LC, SC, MPO, UPC, and APC? This complete fiber optic patch cable guide covers connector types, single-mode vs multimode, insertion loss specs, and how to choose the right

1.25G 1310nm 40Km CWDM SFP Optical Transceiver Module Single

1.25G 1310nm 40Km CWDM SFP Optical Transceiver 1.25G Single Mode Product Description GEZHI compatible 1.25Gpbs CWDM SFP transceiver supports up to 40km, 80km, 120km or 160km link

Fiber Optic Splitter: How It Works & Types Guide

This guide demystifies fiber optic splitters, explaining their design, operating principles, types, key specifications, and real-world applications.

FCJ G652D Single Mode Optical Fiber 9/125um ITU T Standard

Key attributes Type Optic Fiber Model Number G652D Brand Name FCJ Place of Origin Zhejiang, China Fiber Type G652D Standard Compliance ITU-T G.652D, IEC 60793-2-50 Core/Cladding Diameter

Understanding 1310nm Fiber: A Comprehensive Guide

Explore the complexities of 1310nm fiber wavelengths in this comprehensive guide. Learn about fiber optics, optical transmission, and more.

Optical Transceivers / SFP Modules – High-Performance Compatible Fiber ...

Comprehensive Optical Transceivers & SFP Module for High-Speed Networks LINK-PP offers a full range of optical transceivers and SFP module for modern data centers, telecom networks, and

XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10-km DOM

The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with an LC connector. It adopts the

SFP Fiber Optic Transmitters, Receivers, Transceivers – Mouser

SFP Fiber Optic Transmitters, Receivers, Transceivers are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for SFP Fiber Optic Transmitters, Receivers, Transceivers.

FTTX 3ports FWDM Module Optical Filter with 1310nm 1490nm

FTTX 3 Ports Fiber Optic FWDM 1310nm 1490nm 1550nm Optical Filter Micro-Optical WDM utilizes thin film coating technology and proprietary design of non-flux metal bonding micro optics packaging. It

What does "1310Nm" or "1550Nm" in common light test

These wavelengths are used in various fiber optic applications, including transmission, testing, and maintenance. In this article, we will discuss

StarTech HP JD094B Compatible SFP+ Transceiver Module

StarTech HPE JD094B Compatible SFP+ Module - 10GBASE-LR - 10GbE Single Mode (SMF) Fiber Optic Transceiver - 10GE Gigabit Ethernet SFP+ - LC 10km - 1310nm - DDM HPE 5900,

7832 10G SFP+ 1310nm Transceiver Guide

Explore the TPS 7832, a 10Gb/s SFP+ 1310nm 20km optical transceiver designed for single-mode fiber links in telecom, enterprise, and industrial networking projects. This blog helps

Blocked Latching Mechanical Optical Switch 1310nm LC UPC APC 3V

Blocked Latching Mechanical Optical Switch 1310nm LC UPC APC 3V 5V 500mW 1x1 Optical Switches Gezhi 1x1 Opto-Mechanical Bi-directional Fiber Optic Switch connects optical channels by redirecting

OTDR Portable 4en1: Testeur de Fibre Optique de Haute Précision

OTDR ELF-4800 for FTTH, 1310nm / 1550nm / 1625nm 28dB / 26dB, 4 in 1 Portable Touch Screen, Fiber Optic Tester/Optical Domain Reflectometer with SC/APC Connector, Up to 100km (Ref:5562)

10G SFP+ Transceiver Modules & 10Gbase-T | FiberMall

10G SFP+ transceivers are available in many different transmitting and receiving types. Users can select the appropriate transceiver for each link to provide the

02312NCX Fiber Optic Router for FTTH Network, QSFP28 100G 1310NM

02312NCX 100G-80KM-1310NM-SM-QSFP28 QSFP28-100G-1310-80KM-SM
OM9558ZS100 Fiber Optic Router and Switch for FTTH Network Used

Fiber Optic Wavelengths Explained: 850 vs 1310 vs

In this article, we will explore what wavelengths are used in fiber, why those wavelengths are chosen, what lesser-known wavelength regimes exist

Omnitron Systems Technology iConverter RS232 DB9 to Fiber SM/LC 1310nm ...

Get Fast Service & Low Prices on 8767-1 Omnitron Systems Technology iConverter RS232 DB9 to Fiber SM/LC 1310nm/30km Plug-in Module and Much More at PROVANTAGE.

What is 1310 nm? | Definition & Guide | RF Essentials

1310 nm (nanometers) is one of the two foundational optical wavelengths utilized in global fiber-optic telecommunications (the O-Band).

SFP Wavelength Guide: 850nm vs. 1310nm vs. 1550nm

Fiber attenuation at 1310 nm is typically around 0.35 dB/km in standard single-mode fiber. While higher than the 1550 nm window, it remains

Technical Characteristics Of 10G Optical Modules With

There are three wavelength windows for 10G optical module communication applications, namely the 850nm window, 1310nm window, and

Radiation Hardened Fibers 1310/1550 nm Single-Mode

can withstand very high electrical field strengths. All fibers in this series come with high proof strength, large Weibull modulus, and superior dynamic fatigue parameter to maintain high mechanical reliability

SFP+ 25G BIDI 40km 1310nm/1550nm Simplex LC DDM Single Mode

SFP+ 25G BIDI 40km 1310nm/1550nm Simplex LC DDM Single Mode Single Fiber
Optical Transceiver Module YXFiber Factory Outlet

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://tkmm.eu>

Email: info@tkmm.eu

Phone: +48 22 538 29 41

Address: ul. Puławska 45A, 02-508 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

